



CATALOGUE 2024



CATALOGUE 2024

CONTENT

ABOUT 05	8
VALUES	10
CONCEPT	14
ACOUSTICS/DESIGN/ TECHNOLOGY/MATERIAL	16
MICROOFFICE UNIQ PRIME CUBIQ QUADRIO I—IV REALM	18 20 24 28 36 48
SPARK SPARK SPARK ² SPARK ⁴	52 54 56 58
ADDITIONAL EQUIPMENT AV CONNECTION SET FURNITURE CLARITY SYSTEM	62 64 66 70
COMPARISON	72
DESIGNERS	74
SEATING MYSPOT BOND MOVE PETAL	78 80 84 88
SOUND ABSORPTION STILL SKY STILL MYSPACE SHADE TIMBER SHADE HEAVY SHADE MARK MOSS MOSS HANG SILENT TREE	92 94 98 10 10 11 11 11 12 12
LIGHTING MUTE LIGHT BLOOM DROP	13 13 14 14
MATERIAL LINES FABRIC SWATCHES	15




ABOUT US



We like peace and quiet at work. That's why we started SilentLab: to make silence and deliver it wherever it is scarce. Our unique acoustic concept will soundproof anything in your interior and bring peace and privacy to even the noisiest of spaces.

Open plan offices are more popular than ever, but more human interaction means more noise. In order to create soundproofed spaces where employees can concentrate on their work better, we have acoustic experts on our team and manufacture all products ourselves. In our production halls in the Czech Republic, we create unique soundproof mobile pods, acoustic wall and ceiling panels, dividers and acoustic seating and poufs.

We design comprehensive acoustics for your space according to your specifications. To ensure that everything works perfectly, we are also happy to prepare fully customized solutions. Since we love design as much as we love quiet, we pay as much attention to how they look as to how well they work.



SUCCESS

We will not settle for compromise. Whatever we do, we always aim to exceed our customers' expectations and deliver the highest quality products and services.

COURAGE

We're not afraid to venture into the unknown. We see atypical and complex projects as challenges we are happy to meet.

TEAM ENERGY

We have fun together and it shows in our work, but we also know how to pull together when the going gets tough. We never give up.


QUALITY

We provide premium products and services, so we stand behind their 100% quality. Every implementation at the customer's site is unique to us and represents an opportunity to improve and gain new experience.

SUSTAINABILITY

We are serious about a sustainable future for our company, our community and our planet. We cherish the environment and do our best to treat it with respect.





Our iconic MICROOFFICE® and SPARK ranges create an oasis of silence right in the midst of office hustle and bustle. Only a door click separates you from uninterrupted work. Whether you need to handle a business call, focus on tasks, or simply enjoy some privacy, our soundproof pods provide absolute isolation while keeping you emotionally and visually connected to everything around you.

Design approach is one of duality, an act of balance between fundamental principles – body and space, transparent and unobtrusive, unyielding yet soft, intimate yet open.


The interior space is surrounded on all sides by a solid shell. The resulting object is opaque from one point of view, a tangible barrier dividing two worlds. From another perspective, it is nearly invisible as it merges with its surroundings. The UNIQ, QUADRIO III a IV glass ceiling adds the bonus of natural daylight inside the meeting room. In addition, pro-cognitive lighting can be installed to make you feel like you are working in the open air.


The innovative new SPARK range brings peace and quiet to the demanding conditions of manufacturing and logistics halls, medical facilities and noisy offices. It differs from the upholstered MICROOFFICE® range by its highly resistant powder-coated steel shell.


Execution and choice of materials are a priority for us. Flawless workmanship, sophisticated details and the perfection of all elements underline the simplicity and strength of the whole concept.













ACOUSTICS

Our products are our answer to noise in modern open space offices. Perfectly functional interior and exterior acoustics not only ensure you a quiet place to work, but also promote concentration and let you hear yourself think. High-quality materials, a quiet ventilation system, and precision soundproof doors ensure exceptional sound isolation, both internally and externally, in our acoustic pods.

We have concentrated on working with the ideal reverberation time and the natural sound of the spoken word, which you will appreciate especially during telephone or conference calls. Optimal placement of sound absorption materials keeps the acoustic environment quiet and pleasant.

DESIGN

We have combined a modern acoustic concept with a minimalist and functional design. The horizontal segmentation of the upholstered surfaces breaks up the dimensions and adds to the elegance of the unit as a whole. Rounded edges in the acoustic room emphasize harmony, relaxation and comfort. The entire complex is organized to follow the ideal ergonomics and the correct height distribution of the interior for maximum comfort.

TECHNOLOGY

Maximum comfort is needed for efficient work. An innovative ventilation system, gives you a constant supply of fresh air so you can use your workspace for hours without interruption.

Besides the ventilation system and LED lighting, an absolute standard also includes an electrical socket, motion sensor, and control panel for ventilation and lighting.


The optional lighting in the form of pro-cognitive light also contributes to improved cognitive performance at work, subjective satisfaction and overall comfort. It not only contributes to higher energy but also improves health, mood and regeneration.

MATERIAL

Behind the perfect acoustics is a careful selection of quality materials. Soundproofing is expertly attained through the integration of acoustic infills and specialized soundproof glass. The solid construction is upholstered with fabrics that are pleasant to the touch and available in the color and texture you choose from our swatches.

The sophisticated design is complemented by the unobtrusive metal elements making up the individual construction details and the perfect connection of the glass walls. The warm allure of oak wood infuses vitality into the interior, elevating its aesthetic appeal.





ICONIC DESIGN

AND BLESSED SILENCE









UNIQ

Sometimes you need some quiet time to focus, but you also want to stay in touch with what's going on in the office. UNIQ respects both requirements. The glass roof and two glass walls let in plenty of natural light, while the noise-resistant glass and acoustic upholstery ensure perfect soundproofing.



Technical sheet

TECHNICAL DETAILS

exterior dimensions (w \times h \times d) 1177 \times 2285 \times 1004 mm / 46.3 \times 90 \times 39.5 in interior dimensions (w \times h \times d) 898 \times 2097 \times 933 mm / 35.4 \times 81.9 \times 36.7 in

weight 385 kg / 848 lb

glass walls sound-insulating glass

solid walls sound-absorbing sandwich panel

with acoustic insulation

glass wall frame oak/black varnish

and door handle

ceiling glazed ceiling

flooring carpet (anthracite grey)

ventilation standard air flow: 124 m³/h
maximum air flow: 322 m³/h

lighting LED chromaticity temperature 2700 K

standard equipment electric socket (1x), connection USB C
CHARGER 1x USB A 1x, motion sensor, desk,
lamp, ventilation, glazed ceiling, control

panel for lighting and air ventilation


optional equipment refer to the pricelist


color options decorative fabric (refer to swatches)

certification

tion









* FSC certification on request.



OASIS OF PEACE FOR INDIVIDUALS





PRIME

The ideal space for concentrating on work in a noisy office. PRIME not only provides sufficient privacy and quiet, but also serves as an acoustic element for the surrounding space. Thanks to the wall upholstery made of high-quality acoustic materials, it absorbs ambient sounds and dampens noise in the office.



Technical sheet

TECHNICAL DETAILS

exterior dimensions (w \times h \times d) 1175 \times 2285 \times 995 mm / 46.3 \times 90 \times 35.9 in 900 × 2080 × 915 mm / 35.4 × 81.9 × 36 in interior dimensions ($w \times h \times d$)

370 kg / 815 lb weight

sound-insulating glass glass walls

solid walls sound-absorbing sandwich panel

with acoustic insulation

oak/black varnish

glass wall frame

and door handle

sound-absorbing sandwich panel ceiling

with acoustic insulation, the roof is not upholstered

flooring carpet (anthracite grey)

standard air flow: 102 m³/h ventilation maximum air flow: 322 m³/h

lighting LED, chromaticity temperature 4200 K

standard equipment electric socket (1x), motion sensor, desk, LED lighting, ventilation, control panel

for lighting and air ventilation

optional equipment refer to the pricelist


color options decorative fabric (refer to swatches)


certification














* FSC certification on request.



FOCUS ROOM WITH VARIABLE SPACE




CUBIQ

Do you need to concentrate? Looking for a place where you can think or have a conversation without distractions?

CUBIQ variable focus room can accommodate two to four people. It is large enough that you can separate your workspace and replace one workstation with a perfect oasis of silence. With up to four different layout options, it can accommodate, for example, bar seating, comfortable chairs or video conferencing equipment.



Technical sheet



TECHNICAL DETAILS

exterior dimensions (w \times h \times d) 1777 \times 2285 \times 1600 mm / 70 \times 90 \times 63 in interior dimensions (w \times h \times d) 1501 × 2074 × 1480 mm / 59.1 × 81.7 × 58.3 in

600 kg / 1322 lb weight

glass walls sound-insulating glass

sound-absorbing sandwich panel solid walls

with acoustic insulation oak/black varnish

glass wall frame

and door handle

ventilation

certification

sound-absorbing sandwich panel ceiling

> with acoustic insulation, the roof is not upholstered

flooring carpet (anthracite grey)

> standard air flow: 304 m³/h maximum air flow: 492 m³/h

LED, chromaticity temperature 4200 K lighting

standard equipment electric socket (2x), motion sensor,

LED lighting, ventilation, control panel ventilation and lighting

refer to the pricelist optional equipment

color options decorative fabric (refer to swatches)
















EQUIPMENT OPTIONS CUBIQ




ONE TO ONE

Upholstered benches, material and fabric color based on swatches.

Black metal legs. The table has an oiled oak top and black metal leg (if you choose the black color option, the desk is also black).








BAR TABLE

Bar table assembly.









VIDEOCONFERENCE

Upholstered armchair, material and color of fabric based on swatches.

Black metal legs. The table has an oiled oak top and black metal leg
(if you choose the black color option, the desk is also black).

TV holder for videoconferencing available in full wall.









FOCUS

Height adjustable table assembly with black metal chair frame.









UNIVERSAL MEETING ROOM

THAT GROWS WITH YOU










QUADRIO I

The universal QUADRIO system grows with you. Choose one of the four available options to suit you and your colleagues.

QUADRIO I for two to four people gives you both privacy and comfort.



Technical sheet



650 × 650 mm 25.6 × 25.6 in

2520 mm / 99.2 in

TECHNICAL DETAILS

exterior dimensions (w \times h \times d) 2520 \times 2285 \times 1317 mm / 99.2 \times 90 \times 51.9 in interior dimensions (w \times h \times d) 2246 \times 2128 \times 1196 mm / 88.4 \times 83.8 \times 47.1 in

625 kg / 1377 lb weight

sound-insulating glass glass walls

solid walls sound-absorbing sandwich panel

with acoustic insulation

oak/black varnish

glass wall frame

ceiling

ventilation

certification

and door handle

sound-absorbing sandwich panel with acoustic insulation, the roof is not upholstered

flooring carpet (anthracite grey)

> standard air flow: 292 m³/h maximum air flow: 492 m³/h

lighting LED, chromaticity temperature 4200 K

electric socket (2x), motion sensor, standard equipment LED lighting, ventilation, control panel

ventilation and lighting

optional equipment refer to the pricelist

color options decorative fabric (refer to swatches)









39



QUADRIO II

QUADRIO II fits up to five people comfortably. You'll be able to hold team meetings without being disturbed.



Technical sheet

TECHNICAL DETAILS

exterior dimensions (w \times h \times d) 2520 \times 2285 \times 1944 mm / 99.2 \times 90 \times 76.5 in interior dimensions (w \times h \times d) 2246 \times 2128 \times 1824 mm / 88.4 \times 83.8 \times 71.8 in

weight 750 kg / 1653 lb

solid walls sound-absorbing sandwich panel

with acoustic insulation

sound-insulating glass

glass wall frame oak/black varnish

and door handle

standard equipment

certification

glass walls

ceiling sound-absorbing sandwich panel

with acoustic insulation, the roof is not upholstered

flooring carpet (anthracite grey) ${\it ventilation} ~~ {\it standard air flow: 347 m}^3/h$

ventilation standard air flow: 347 m³/h maximum air flow: 492 m³/h

maximum dii now. 432 m /

lighting LED, chromaticity temperature 4200 K


electric socket (3x), motion sensor, LED lighting, ventilation, control panel


for lighting and air ventilation


optional equipment refer to the pricelist


color options decorative fabric (refer to swatches)

* FSC certification on request.









QUADRIO II ACCESS

QUADRIO II ACCESS is a cutting-edge, wheelchairaccessible meeting room with special design features for users with reduced mobility. It offers a quiet, serene workspace with ergonomic design for universal comfort.



Technical sheet

TECHNICAL DETAILS

exterior dimensions (w \times h \times d) 2520 \times 2285 \times 1944 mm / 99.2 \times 90 \times 76.5 in interior dimensions (w \times h \times d) 2246 \times 2128 \times 1824 mm / 88.4 \times 83.8 \times 71.8 in

800 kg / 1764 lb weight sound-insulating glass glass walls

solid walls sound-absorbing sandwich panel

with acoustic insulation oak/black varnish

glass wall frame

and door handle

ceiling sound-absorbing sandwich panel

with acoustic insulation, the roof is not upholstered

flooring carpet (anthracite grey) standard air flow: 347 m³/h

ventilation maximum air flow: 492 m³/h

LED, chromaticity temperature 4200 K lighting

standard equipment electric socket (3x), motion sensor,

LED lighting, ventilation, control panel for lighting and air ventilation, table, access ramp, button for automatic door opening,

automatic self-closer

refer to the pricelist optional equipment

color options decorative fabric (refer to swatches)


certification













QUADRIO III

QUADRIO III offers a variant with a glass ceiling and lets in enough natural light to keep you comfortable even during longer meetings. It can accommodate up to seven people.



Technical sheet

TECHNICAL DETAILS

exterior dimensions (w \times h \times d) 2520 \times 2285 \times 2856 mm / 99.2 \times 90 \times 112.4 in interior dimensions (w \times h \times d) 2245 \times 2128 \times 2736 mm / 88.4 \times 83.8 \times 107.7 in

950 kg / 2094 lb weight sound-insulating glass glass walls

solid walls sound-absorbing sandwich panel

with acoustic insulation

glass wall frame oak/black varnish

and door handle

sound-absorbing sandwich panel ceiling

with acoustic insulation / glazed ceiling, the roof is not upholstered

flooring carpet (anthracite grey)

standard air flow: 433 m³/h ventilation

maximum air flow: 884 m³/h

lighting LED, chromaticity temperature 4200 K

electric socket (3x), motion sensor, standard equipment LED lighting, ventilation, control panel

for lighting and air ventilation

refer to the pricelist optional equipment

color options decorative fabric (refer to swatches)


certification

















QUADRIO IV

QUADRIO IV offers space for up to nine people. It quickly provides you with a full-fledged meeting room without the need for costly structural changes.



Technical sheet

TECHNICAL DETAILS

exterior dimensions (w \times h \times d) 2520 \times 2285 \times 3768 mm / 99.2 \times 90 \times 148.4 in interior dimensions (w \times h \times d) 2245 \times 2128 \times 3648 mm / 88.4 \times 83.8 \times 143.6 in

1150 kg / 2535 lb weight sound-insulating glass glass walls

solid walls sound-absorbing sandwich panel

with acoustic insulation

glass wall frame and door handle

oak/black varnish

sound-absorbing sandwich panel ceiling with acoustic insulation / glazed ceiling,

the roof is not upholstered

flooring carpet (anthracite grey)

standard air flow: 582 m³/h ventilation maximum air flow: 884 m³/h

LED, chromaticity temperature 4200 K lighting


electric socket (3x), motion sensor, standard equipment LED lighting, ventilation, control panel

for lighting and air ventilation

optional equipment refer to the pricelist


decorative fabric (refer to swatches) color options





2520 mm / 99.2 in

2400 × 800 mm/ 94.5 × 31.5 in



* FSC certification on request.



WELLBEING MEETING ROOM

FOR TEAM COMFORT AND EFFICIENCY






REALM

Are you in the office and still want to feel at home? Achieving workplace comfort is easier than you might think! Whether it's a formal meeting, tackling a big project, or simply having an informal gathering, our wellbeing acoustic meeting room provides the perfect setting.





TECHNICAL DETAILS

exterior dimensions (w \times h \times d) 2520 \times 2285 \times 2856 mm / 99.2 \times 90 \times 112.4 in

sound-insulating glass glass walls

and door handle

with acoustic insulation / glazed ceiling,

carpet (anthracite grey) flooring ventilation

maximum air flow: 884 m³/h

LED, chromaticity temperature 4800 K lighting

electric socket (3x), motion sensor, LED lighting, standard equipment

lighting, seating, coffee table, shelfs, coat hooks,

glazed ceiling, AV connection set

refer to the pricelist optional equipment

CE CULUS FSC * certification





interior dimensions ($w \times h \times d$) 2245 × 2128 × 2736 mm / 88.4 × 83.8 × 107.7 in


950 kg / 2094 lb weight

sound-absorbing sandwich panel solid walls

with acoustic insulation

glass wall frame

oak/black varnish



the roof is not upholstered


standard air flow: 433 m³/h


ventilation, control panel for air ventilation and

color options decorative fabric (refer to swatches)













SPARK

Add sparkle to your working environment. SPARK is our first acoustic meeting room with increased mechanical resistance while retaining its maximum functionality and elegant curves. It can cope with even the most demanding conditions and is easy to maintain. It is therefore perfectly suited to production halls or public areas.



Technical sheet

TECHNICAL DETAILS

exterior dimensions (w \times h \times d) 1110 \times 2226 \times 930 mm / 43.7 \times 87.6 \times 36.6 in interior dimensions (w \times h \times d) 850 \times 2057 \times 864 mm / 33.4 \times 80.9 \times 34 in

weight 350 kg / 771 lb

glass walls sound-insulating glass

solid walls sound-absorbing sandwich panel

with acoustic insulation beech (black varnish)

glass wall frame and door handle

ceiling sound-absorbing sandwich panel

with acoustic insulation

flooring carpet (anthracite grey)

ventilation standard air flow: $120 \text{ m}^3\text{/h}$ maximum air flow: $341 \text{ m}^3\text{/h}$

lighting LED, chromaticity temperature 4200 K

standard equipment electric socket (1x), ventilation, motion sensor, desk, LED lighting, sprinkler / fire detection

system provision, control panel for lighting

powder coated steel - fine texture

and air ventilation


optional equipment refer to the pricelist


material lines – interior decorative fabric Bombay 36

color options cladding – exterior

certification

C€







SPARK²

SPARK² is the ideal place for for one-on-one meetings when you don't want to be disturbed by anyone. This innovative acoustic room with an interesting design ensures maximum attenuation of ambient sounds and better working conditions in any noisy area. Its easy-to-maintain durable surface makes it an excellent choice for offices, production halls, and even the healthcare sector with a special interior treatment.



Technical sheet

TECHNICAL DETAILS

2220 × 2226 × 930 mm / 87.4 × 87.6 × 36.6 in exterior dimensions ($w \times h \times d$) interior dimensions (w \times h \times d) 1968 × 2057 × 864 mm / 77.5 × 80.9 × 34 in

weight 695 kg / 1532 lb sound-insulating glass glass walls

solid walls sound-absorbing sandwich panel

with acoustic insulation beech (black varnish)

glass wall frame and door handle

sound-absorbing sandwich panel ceiling

with acoustic insulation

carpet (anthracite grey) flooring ventilation standard air flow: 250 m³/h maximum air flow: 341 m³/h

LED, chromaticity temperature 4200 K lighting

electric socket (2x), ventilation, motion standard equipment

sensor, LED lighting, sprinkler / fire detection system provision, control panel for lighting

and air ventilation

refer to the pricelist optional equipment


material lines - interior and seating


decorative fabric Bombay 36 powder coated steel - fine texture

color options cladding - exterior

certification

CE







SPARK⁴

Discover the SPARK⁴, which will catch your attention with its distinctive look, powder-coated steel exterior available in eight colors, and a wide range of technological innovations. The quiet office is designed for two to four people for private meetings even in challenging conditions.



Technical sheet

TECHNICAL DETAILS

exterior dimensions (w x h x d) $2220 \times 2226 \times 1850$ mm / $87.4 \times 87.6 \times 72.8$ in 1968 × 2057 × 1770 mm / 77.5 × 81 × 67 in interior dimensions (w \times h \times d)

1150 kg / 2535 lb weight glass walls sound-insulating glass

solid walls sound-absorbing sandwich panel with acoustic insulation

glass wall frame beech (black varnish)

and door handle

ceiling sound-absorbing sandwich panel with acoustic insulation

carpet (anthracite grey)

flooring ventilation standard air flow: 400 m³/h

maximum air flow: 626 m³/h

LED, chromaticity temperature 4200 K lighting

standard equipment electric socket (3x), ventilation, motion sensor, LED lighting, sprinkler / fire detection system provision, control panel ventilation and lighting

refer to the pricelist optional equipment

material lines - interior


decorative fabric Bombay 36


and seating color options

powder coated steel - fine texture


cladding - exterior certification

CE













ADDITIONAL EQUIPMENT

Do you have high standards? We have a whole range of accessories for the discerning customer. You can choose from a variety of furniture and premium technologies that will elevate the quality of your working environment.


AV CONNECTION SET

Do you have a client or teammate on the other side of the world? We'll deliver our acoustic pods with complete AV connection set. This makes it easy to install your equipment and the video conferencing experience is almost on par with an in-person meeting.

We can install the AV connection set on the glass wall or on the right side of the panel, whichever you prefer.



Technical sheet




*illustration of a possible layout configuration




FURNITURE


UNIQ/PRIME/SPARK






CUBIQ












QUADRIO I




QUADRIO II



QUADRIO III/IV



UNIQ/PRIME/CUBIQ/QUADRIO I, II, III, IV, REALM




^{*} Detailed information on individual products is available in the technical data sheets.

All furniture dimensions are given in millimeters. Illustration of a possible solution.

FURNITURE


SPARK²

SEATING ONE TO ONE



SPARK4

EATING TWO TO TW







CLARITY SYSTEM

We want to make your time in the booth as comfortable as possible. That's why we offer the Clarity System technology, based on an air treatment system, ionization, which together with the high air flow through our powerful fans ensures freshness, ionization and disinfection of the air inside our quiet zones without the use of chemicals.



Technical sheet

TECHNICAL DETAILS

location inside the ventilation bowels MICROOFFICE®

ozone concentration < 0,01ppm*

inside MICROOFFICE®

ion production 10 000 – 200 000 positive and negative

lons per cm²

certification RoHS, EMC, CE and UL

* The international standard for ozone concentration is defined by a maximum value of 0,05ppm.

IONIZER FUNCTION

- effectively neutralizes a wide range of hazardous microorganisms including COVID and SARS
- neutralizes odors
- reduces the risk of allergic reactions in allergy sufferers
- discharges static electricity and prevents electrostatic build-up
- does not use chemical air treatment
- effectively disinfects rooms

Clarity System is fully integrated into the ventilation system.




COMPARISON













Comparison

Find out which model is best for you.

Gain an overview of the differences between our acoustic meeting pods.



JAN KALIVODA & VOJTĚCH KAAS

PROGRES ARCHITEKTI

We are an architecture studio. We've been working with space, mass, light, materials and feelings in projects large and small since 2006. We believe that respecting the unique conditions for each project makes architecture. Strong, functional, balanced.

We take pride in a job well done. Our projects place a high emphasis on the quality of the indoor space. Ergonomics, lighting, and especially acoustics are key topics for us, and our designs for the MICROOFFICE® and SPARK product ranges reflect as much.

We greatly value our partnership with SilentLab, as they are one of the few not afraid to seek out new paths and push the boundaries of what is technically possible. The result is exceptional products with international recognition.













MYSPOT BOND

Get comfortable in the MYSPOT BOND acoustic armchair. The wide side walls provide plenty of privacy for uninterrupted phone calls or a moment of reflection. You can combine the chairs freely to create the set-up you want.



Technical sheet










83

TECHNICAL DETAILS

dimensions (w \times h \times d) 860 \times 1290 \times 1000 mm / 33.9 \times 50.8 \times 39.4 in

chair frame oak, lacquered steel

back rest + pillow upholstered acoustic PET material finish decorative fabric (refer to swatches)



EASILY MOVABLEPOUF

ACOUSTIC POUFS

MOVE

Brighten up your office with MOVE acoustic poufs. Their body consists of lightweight acoustic foam with high sound absorption you can choose any shape you like. The poufs can be easily repositioned by the felt handles to suit your needs.



Technical sheet



TECHNICAL DETAILS

basic dimensions (w \times h \times d) $460\times450\times460$ mm / $18.1\times18\times18.1$ in

SQUARE

basic dimensions diameter 460 mm / 18.1 in height 450 mm / 18 in ROUND


basic dimensions (w \times h \times d)


DROP

 $460 \times 450 \times 460 \text{ mm} / 18.1 \times 18 \times 18.1 \text{ in}$

filling high-performance acoustic foam finish decorative fabric (refer to swatches) felt handle – 100% sheep wool additional

components









87



VARIABLE SEATING



PETAL

PETAL modular acoustic poufs enrich informal rest and relaxation areas. Arrange your own unique shape composition tailored to your space and gain excellent acoustic properties at the same time. The poufs are made of lightweight material so you can easily move them wherever you need them.



Technical sheet






91

TECHNICAL DETAILS

basic dimensions (w \times h \times d) 1200 \times 350 \times 695 mm / 47.2 \times 13.8 \times 27.4 in

filling high-performance acoustic foam
finish decorative fabric (refer to swatches)
base birch plywood with oak veneer





ABS D \(\infty PH C $Z \cup$





THE ONE NOISE-ABSORBING DESIGN PANEL

STILL SKY

The acoustically isolated ceiling reduces the overall noise level in the room, making it easier to concentrate and communicate with colleagues. STILL SKY ceiling panels are an effective acoustic element that effectively absorbs sound in work and leisure areas while serving as an original interior accessory.




Technical sheet

TECHNICAL DETAILS

basic dimensions (w \times h \times d) 550 \times 550 \times 35/65/95 mm / $21.7 \times 21.7 \times 1.2/2.4/3.5$ in custom sizes available upon request basic dimensions (w \times h \times d) 550 \times 550 \times 35/65/95 mm / ROUNDED SQUARE 21.7 × 21.7 × 1.2/2.4/3.5 in custom sizes available upon request basic dimensions (w \times h \times d) 550 \times 550 \times 35/65/95 mm / SQUARE 21.7 × 21.7 × 1.2/2.4/3.5 in custom sizes available upon request basic dimensions (w \times h \times d) 550 \times 635 \times 35/65/95 mm / HEXAGON $21.7 \times 24.8 \times 1.2/2.4/3.5$ in custom sizes available upon request

MDF (medium-density fibreboard) supporting frame filling high-performance acoustic foam finish decorative fabric (refer to swatches) installation steel wire (up to 1.5m long)





FRESH COLORS AND GREAT

ACOUSTICS


WALL PANELS

STILL

Acoustic wall panels not only improve the overall acoustics in a room, but also serve as a design element. You just need to choose the right shape and a suitable color variant. The advantage of STILL wall panels is that they are designed to absorb the frequencies created by the human voice, reducing background noise while brightening up your office walls.



Technical sheet



TECHNICAL DETAILS

basic dimensions (w \times h \times d) LEAF

550 × 550 × 35/65/95 mm 21.7 × 21.7 × 1.2/2.4/3.5 in custom sizes available upon request

basic dimensions ($w \times h \times d$) ROUNDED SQUARE

550 × 550 × 35/65/95 mm 21.7 × 21.7 × 1.2/2.4/3.5 in custom sizes available upon request

basic dimensions (w \times h \times d) SQUARE

550 × 550 × 35/65/95 mm 21.7 × 21.7 × 1.2/2.4/3.5 in custom sizes available upon request

basic dimensions (w \times h \times d) HEXAGON


635 × 550 × 35/65/95 mm 21.7 × 24.8 × 1.2/2.4/3.5 in custom sizes available upon request


basic dimensions (w \times h \times d) 550 × 550 × 550 × 35 × 95 × 95 mm 21.7 × 21.7 × 21.7 × 1.2 × 3.5 × 3.5 in


TRIANGLE


supporting frame MDF (medium-density fibreboard) filling high-performance acoustic foam decorative fabric (refer to swatches) finish

installation wall-mounted/with contact adhesive
















ESSENTIAL SUPPLEMENT


LARGE OFFICES

MYSPACE

The best way to separate individual workstations in an open space is to use a desktop acoustic divider. MYSPACE desktop dividers are made of top-quality acoustic foam specially developed for noise absorption. The divider's surface made of a solid, high-quality fabric also serves as a private notice board.



Technical sheet



TECHNICAL DETAILS

material

basic dimensions standard height 400 and 600 mm / 15.7 and 23.6 in standard width up to 1600 mm / 63 in

custom sizes available upon request


central supporting plate lined

with sound-absorbing material

finish decorative fabric (refer to swatches)

eet round coated steel/C-profile coated steel

(colors according to swatches)









ACOUSTIC PARAVAN WITH WOODEN DETAILS

TIMBER

SHADE TIMBER

Set up SHADE TIMBER dividers in the office to instantly create an acoustic barrier that absorbs unwanted sounds. This allows you to silence, for example, the conversation of colleagues over a cup of coffee or the noise of the printer. The dividers are very easily portable and you can position them to suit your needs and your office layout.



Technical sheet





TECHNICAL DETAILS

108

standard height 1200, 1500 and 1800 mm / 47.2, 59.1 and 70.9 in standard width up to 1500 mm / 59.1 in basic dimensions


custom sizes available upon request

support plate covered on both sides material

with sound-absorbing material

finish decorative fabric (refer to swatches)

solid oak wood








ACOUSTIC SPACE DISTRIBUTION

SHADE HEAVY

Can greater thickness be an advantage? In the case of the SHADE HEAVY divider, yes. The divider is thicker than standard types, making it easier to absorb unwanted sounds. Simply arrange the dividers around the office and the desired peace and quiet will prevail.



Technical sheet



TECHNICAL DETAILS

basic dimensions (w \times h) 800 \times 1800 mm / 31.5 \times 70.9 in 1200 \times 1800 mm / 47.2 \times 70.9 in


material support plate covered on both sides with special sound-absorbing material


nish decorative fabric (refer to swatches)

feet solid oak wood

acoustic properties $\alpha w^* = 1,00 - \text{class A} - \text{very high absorptive}$

(weighted coefficient of sound absorption)









 $^{^{\}star}\,$ measured in compliance with ISO 354, evaluated in conformity with ISO 11654





ACOUSTIC DIVIDER WITH WRITABLE BULLETIN BOARD

SHADE MARK

The SHADE MARK serves two useful functions in the workplace. Like our other dividers, it absorbs noise and minimizes the inconvenience of an open space office. This version, however, also has a glass writing surface on one side, doubling as a whiteboard for notes, presentations, brainstorming sessions and other team meetings.







117

TECHNICAL DETAILS

basic dimensions


standard height 1820 mm/71.7 in including wheels 1700 mm / 66.9 in only the divider 1350 mm / 53.1 in whiteboard

standard width

1040 mm / 40.9 in including wheels 1000 mm / 39.4 in only the divider

frame filled with sound-absorbing material, glass board, coated holder tray (RAL 9003) material

decorative fabric (refer to swatches) finish warnished plywood feet with grey wheels





DESIGN
ELEMENT
IMMERSIVE
SOUND

ACOUSTIC OBJECT

Functional and beautiful. The MOSS acoustic object will enchant you at first sight. We have specially developed its material to absorb ambient noise, while at the same time it works well in a space as an unusual design element. We offer MOSS in three sizes and ten fashionable colors, which you can combine freely.


MOSS



Technical sheet







TECHNICAL DETAILS


basic dimensions (w \times h \times d) 910 \times 810 \times 300 mm / SMALL $31.9 \times 35.8 \times 11.8$ in

basic dimensions (w \times h \times d) 910 \times 1210 \times 300 mm / MEDIUM 35.8 × 47.6 × 11.8 in

basic dimensions (w \times h \times d) 795 \times 1810 \times 300 mm / LARGE $31.3 \times 71.3 \times 11.8$ in

filling high-performance acoustic foam finish flock (color refer to swatches)

base lacquered steel



120



SOUNDPROOFING IN AN UNUSUAL STYLE

HANGING ACOUSTIC OBJECT


HANGING ACOUSTIC OBJECT

An acoustic object that will enchant you with its aesthetics and maximum functionality. The material absorbs ambient sound and helps to enhance the office environment. MOSS HANG is variable and can be placed as a stand-alone hanging object, or in any configuration you choose.

MOSS HANG



Technical sheet








TECHNICAL DETAILS

basic dimensions (w x h x d) $200 \times 1000 \times 145 \text{ mm} \ / 7.9 \times 39.4 \times 5.7 \text{ in}$

ing high-performance acoustic foam

finish flock (color based on the color samples)





ACOUSTICSAS AESTHETICS

ACOUSTIC OBJECT


ACOUSTIC OBJECT

This innovative acoustic object from designer Jiří Pelcl represents a combination of modern design and functionality that perfectly meets the needs of modern work spaces. Its unique shape in the form of a tree has aesthetic value and also significantly reduces environmental noise, thereby improving working conditions for employees.

SILENT TREE



Technical sheet





TECHNICAL DETAILS

design Atelier Pelcl

basic dimensions $(w \times h \times d)$

 $1360 \times 2560 \times 1360$ mm / $53.5 \times 100.1 \times 53.5$ in

fabric finish acoustic material PET seegras – color emerald green

metal construction coated steel – RAL 6015 black



STYLISH SOUNDPROOFING

FOR ANY SPACE

HANGING DIVIDERS

The MUTE hanging divider function not only as an acoustic but also as a design element. They effectively reduce echoes and provide gentle soundproofing wherever necessary. The hanging dividers visually divide large areas into smaller spaces without making any structural changes.

MUTE



Technical sheet



TECHNICAL DETAILS

basic dimensions

standard height 500 and 1000 mm / 19.7 and 39.4 in standard width 400, 700 and 1000 mm / 15.7, 27.6 and 39.4 in standard dimensions 500 \times 1000 \times 30 mm / 19.7 \times 39.4 \times 1.2 in


custom sizes available upon request


central supporting plate lined material

with sound-absorbing material

finish decorative fabric (refer to swatches)

steel wire (up to 1.5m long) installation







SHINE YOUR LIGHT FOR SILENCE

ACOUSTIC DIVIDERS WITH LIGHT

ACOUSTIC DIVIDERS WITH LIGHT

MUTE LIGHT acoustic dividers offer a unique option for soundproofing in necessary environments and simultaneously visually divide the space without any structural modifications. The dividers boast LED lighting that will brighten up your office or home.

MUTE LIGHT



Technical sheet





139

TECHNICAL DETAILS

basic dimensions (w \times h \times d) standard dimension


 $900 \times 250 \times 30 \text{ mm} / 35.4 \times 9.8 \times 1.2 \text{ in}$ custom sizes available upon request

central supporting plate cover material with sound-absorbing material

decorative fabric (refer to swatches)

installation steel wire (up to 1.5m long)

LED, chromaticity temperature 4200 K





LIGHT UPEVERY INTERIOR


ACOUSTIC LIGHT

An acoustic light that gives the interior a new face and makes it shine. It is made of an unusual material – acoustic foam, which absorbs sound. Available in a choice of ten fashionable tones.

BLOOM



Technical sheet



TECHNICAL DETAILS

design Studio Olgoj Chorchoj

basic dimensions (w \times h) ASSEMBLY 1

ASSEMBLY 2 $700 \times 380 \text{ mm} / 27.5 \times 14.9 \text{ in}$ ASSEMBLY 3 $700 \times 380 \text{ mm} / 27.5 \times 14.9 \text{ in}$ ASSEMBLY 4 $700 \times 500 \text{ mm} / 27.5 \times 19.7 \text{ in}$ material high-performance acoustic foam


 470×240 mm / 18.5×9.4 in

surface finish flock (color according to swatch)

light source 15 W/30 W
lighting temperature daylight white
chromaticity temperature 4200 K

suspension system steel cable with canopy at the ceiling
type of anchoring canopy anchored to the ceiling structure

certification (€







PLEASANT ATMOSPHERE AND OPTIMAL ACOUSTIC CONDITIONS

ACOUSTIC AMBIENT LIGHT


DROP ambient lighting provides atmosphere while improving the acoustic conditions in the space. Today's interiors increasingly place the emphasis on productivity, which is influenced by a number of factors including the amount of light and noise. This elegant lighting with sound absorption fits functionally into office relaxation zones or even at home.

DROP



Technical sheet





TECHNICAL DETAILS

design Studio Olgoj Chorchoj

basic dimensions (w \times h \times d) 270 \times 475 \times 270 mm / 10.6 \times 18.7 \times 10.6 in finish see fabric samples AMBIENT and PULSE


supply voltage 230 V, 60 Hz

light source power 5 W chromaticity temperature 4200 K

suspension system textile cable with canopy at the ceiling type of anchoring canopy anchored to the ceiling structure

certification (€








147





MATERIAL

MATERIAL LINES

Have you chosen the best acoustic solution for your office? Now you can choose from a range of colors in one of our three material lines.

SOFT


The basic SOFT series is the most affordable version of our products. It combines functionality and simplicity of materials, BOMBAY fabrics look professional and warm at the same time. They are also water-repellent and stain-resistant.

AMBIENT

The AMBIENT mid range presents two attractive options. ASPECT textiles with a soft, touchable pattern that is made of Trevira CS flame retardant fiber. The second option is WOOLLAND, a durable fabric made of natural wool fibers treated to be flame retardant and water repellent.

PULSE

The top of the range PULSE puts the emphasis on superior texture and an excellent tactile experience thanks to its natural materials.



BOMBAY SOFT





composition 100% polyester
weight 350 g/m²
width 140 cm
abrasion resistance > 100 000 martindale



WOOLLAND AMBIENT ASPECT AMBIENT





TECHNICAL DETAILS

composition 70% recycled sheep wool, 30% polyamide weight 400 g/m² width 150 cm

abrasion resistance > 100 000 martindale

TECHNICAL DETAILS

composition 75% Trevira CS, 25% polyester weight 325 g/m² width 140 cm abrasion resistance > 50 000 martindale

SYNERGY PULSE BLAZER PULSE





TECHNICAL DETAILS

composition 95% virgin sheep's wool, 5% polyamide weight 400 g/m² width 140 cm

abrasion resistance > 100 000 martindale

TECHNICAL DETAILS


composition 100% virgin sheep's wool weight 460 g/m² width 140 cm abrasion resistance > 50 000 martindale

FINISH

SPARK



MYSPACE / FEET





(black)



MICROOFFICE / FRAMES



RAL 9004 (black)

MOSS / MOSS HANG / BLOOM





CONTACT INFORMATION

+420 733 739 065 info@silent-lab.com www.silent-lab.com

COMPANY ADDRESS

SilentLab s.r.o. Za Zastávkou 373 111 01 Prague 10 – Czech Republic

The final product configuration may differ from the versions shown in the photographs.

All MICROOFFICE® and SPARK products are patented. SilentLab®, MICROOFFICE® and its logo are registered trademarks of SilentLab s.r.o.

All intellectual property rights ("Rights"), whether registered or not, relating to any content, texts, photographs, images, logos, instructions, designs, technical solutions, etc. ("Content") are the property of SilentLab s.r.o. ("Owner") and any interference with these Rights to any Content or part thereof without the prior express and written consent of the Owner is not permitted.

Any use of the Content not expressly authorized in writing in advance, with the exception of internal and non-commercial use of the unmodified Content for the purposes of the customer's own order, is considered an infringement of the Owner's Rights. In particular (not exclusively), any reproduction, change, addition, merger or other modification of the Content is prohibited without the prior express written consent of the Owner.